

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Patent Application of

Atty Dkt. 2992-12

IYER

C# M#

Group Art Unit: 3635

Serial No. 09/620,134

JUL 22 2002

Examiner: C. Nguyen

Filed: July 20, 2000

Date: July 22, 2002

Title: BEAM FILLED WITH MATERIAL, DECK SYSTEM AND METHOD

Assistant Commissioner for Patents
Washington, DC 20231

Sir:

RESPONSE/AMENDMENT/LETTER

This is a response/amendment/letter in the above-identified application and includes an attachment which is hereby incorporated by reference and the signature below serves as the signature to the attachment in the absence of any other signature thereon.

Fees are attached as calculated below:

Total effective claims after amendment 22 minus highest number
previously paid for 22 (at least 20) = 0 x \$ 18.00 \$ 0.00

Independent claims after amendment 5 minus highest number
previously paid for 5 (at least 3) = 0 x \$ 84.00 \$ 0.00

If proper multiple dependent claims now added for first time, add \$280.00 (ignore improper) \$ 0.00

Petition is hereby made to extend the current due date so as to cover the filing date of this
paper and attachment(s) (\$110.00/1 month; \$400.00/2 months; \$920.00/3 months) \$ 920.00

Terminal disclaimer enclosed, add \$ 110.00 \$ 0.00

☐ First/second submission after Final Rejection pursuant to 37 CFR 1.129(a) (\$740.00) \$ 0.00
☐ Please enter the previously unentered, filed
☐ Submission attached

Subtotal \$ 920.00

If "small entity," then enter half (1/2) of subtotal and subtract -\$ 460.00
☒ Applicant claims "small entity" status. ☐ Statement filed herewith

Rule 56 Information Disclosure Statement Filing Fee (\$180.00) \$ 0.00

Assignment Recording Fee (\$40.00) \$ 0.00

Other: 0.00

TOTAL FEE ENCLOSED \$ 460.00

The Commissioner is hereby authorized to charge any deficiency, or credit any overpayment, in the fee(s) filed, or asserted to be filed, or which should have been filed herewith (or with any paper hereafter filed in this application by this firm) to our Account No. 14-1140. A duplicate copy of this sheet is attached.

1100 North Glebe Road, 8th Floor
Arlington, Virginia 22201-4714
Telephone: (703) 816-4000
Facsimile: (703) 816-4100
AMK:jl

NIXON & VANDERHYE P.C.
By Atty: Alan M. Kagen, Reg. No. 36,178

Signature: Alan M. Kagen

07/24/2002 SDENBOB1 00000018 09620134

01 FC:217

460.00 DP



#7/Amold B
7-30-02
24

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Patent Application of

IYER

Atty. Ref.: 2992-12

Serial No. 09/620,134

Group: 3635

Filed: July 20, 2000

Examiner: C. Nguyen

For: BEAM FILLED WITH MATERIAL, DECK SYSTEM AND METHOD

* * * * *

July 22, 2002

Assistant Commissioner for Patents
Washington, DC 20231

RECEIVED
JUL 26 2002
GROUP 3600

Sir:

AMENDMENT

In response to the Office Action dated January 23, 2002, the period for response having been extended three months by petition herewith, please amend the above-identified patent application as follows:

IN THE CLAIMS

Please substitute the following amended claim(s) for corresponding claim(s) previously presented. A copy of the amended claim(s) showing current revisions is attached.

B1
SCU
1. (Amended) A construction beam comprising a tubular housing filled with a solid material having a Poisson's ratio, wherein the tubular housing is constructed such that a Poisson's ratio of the tubular housing is less than the solid material to thereby confine the solid material, the tubular housing forming part of the construction beam.